REFERENCES

1. "Food & Drug Administration, (2010), Generic Drugs: Questions and Answers". Food and Drug Administration (USFDA).
2. Code of Federal Regulations, (2011), Title 21, 21CFR320, Procedures for Determining the Bioavailability or Bioequivalence of Drug Products, Volume 5, April , 2011
3. Viswanathan C. T., Bansal Surendra et al, (2007), Quantitative Bioanalytical Methods Validation and Implementation: Best Practices for Chromatographic and Ligand Binding Assays, The AAPS Journal; 9 (1) Article 4, E30-E31
4. Bansal Surendra and Destefano Anthony, (2007), Key elements of bioanalytical method validation for small molecules, The AAPS Journal; 9 (1) Article 11, E109-E114.
5. Atanu Kumar, (2011), HPLC: Highly Accessible Instrument in Pharmaceutical Industry for Effective Method Development, Pharmaceutica Analytica Acta, Volume 3, Issue 1, Page 1
6. Tomofumi Santa, (2011), Derivatization reagents in liquid chromatography/electrospray ionization tandem mass spectrometry, Biomedical Chromatography, Volume 25, Issue 1-2, pages 1–10.
7. Kole P. L., Gantala V, (2011), Recent advances in sample preparation techniques for effective bioanalytical methods, Biomedical Chromatography, Volume 25, Issue 1-2, pages 199–217.
8. Food and Drug Administration. (2001) FDA Guidance for Industry: Bioanalytical Method Validation. Rockville, MD : US Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research.
9. Mohammed J, Zheng Ouyang, Yuan-Qing Xia, (2010), Systematic LC-MS/MS bioanalytical method development that incorporates plasma phospholipids risk avoidance, usage of incurred sample and well thought-out chromatography, Biomedical Chromatography, Volume 24, Issue 1, pages 2–19,
10. Wells DA, (2003), Book: High throughput bioanalytical sample preparation: methods and automation strategies.
11. Shah V. P, (2007), the History of Bioanalytical Method Validation and Regulation: Evolution of a Guidance Document on Bioanalytical Methods Validation, The AAPS Journal 2007; 9 (1) Article 5, E43-E45.
12. Mohammed J, Zheng Ouyang, (2003), Enhanced resolution triple-quadrupole mass spectrometry for fast quantitative bioanalysis using liquid chromatography/tandem mass spectrometry: investigations of parameters that affect ruggedness, Rapid Communications in Mass SpectrometryVolume 17, Issue 1, pages 24–38

13. Mario L. R, Jr. Devanarayan V, Haughey D B., and Paula Jardieu, (2007), Confirmatory Reanalysis of Incurred Bioanalytical Samples, The AAPS Journal; 9 (3), E336-E343
14. Hughes Nicola C. ,Ernest Y.K. Wong , Juan Fan and Bajaj Navgeet, (2007), Determination of Carryover and Contamination for Mass Spectrometry – Based Chromatographic Assays, The AAPS Journal 2007; 9 (3) Article 42
15. Wei Zeng' , Alison L Fisher, Donald G Musson, Amy Qiu Wang, (2004), High-throughput liquid chromatography for drug analysis in biological fluids: investigation of extraction column life, Journal of Chromatography B, Volume 806, Issue 2, Pages 177–183
16. B. K. Matuszewski, M. L. Constanzer, and C. M. Chavez-Eng, (2003), Strategies for the Assessment of Matrix Effect in Quantitative Bioanalytical Methods Based on HPLC−MS/MS, Anal. Chem., 75 (13), pp 3019–3030
17. Hong Mei et al, (2003), Investigation of matrix effects in bioanalytical high-performance liquid chromatography/tandem mass spectrometric assays: application to drug discovery, Rapid Communications in Mass Spectrometry, Volume 17, Issue 1, pages 97–103
18. Jun Zhang, (2010), Rapid Communications in Mass Spectrometry, Volume 24, Issue 24, pages 3593–3601
19. Heller D A, (2007), Rapid Communications in Mass Spectrometry, Volume 21, Issue 5, pages 644–652
20. Schuhmacher J, (2003), Matrix effects during analysis of plasma samples by electrospray and atmospheric pressure chemical ionization mass spectrometry: practical approaches to their elimination Rapid Communications in Mass Spectrometry, Volume 17, Issue 17, pages 1950–1957
21. Kalakuntla RR, Kumar KS. (2009), Bioanalytical method validation: A quality assurance auditor view point. J Pharm. Sci. Res.;1(3):1-10
22. Hamid Khan, Mushir Ali, Sayeed Ahmad, Niyaz Ahmad, Alka Ahuja, Sanjula Baboota & Javed Ali validated UPLC/Q-TOF-MS method for simultaneous determination of aceclofenac, paracetamol, and their degradation products in tablets journal of liquid chromatography & related technologies Volume 35, Issue 1, 2012 pages 109-128
23. Pattan S. R., Jamdar S. G., Godge R. K., Dighe N. S., A.V. Daithankar, S. A. Nirmal,M.G.Pai, (2009), RP- HPLC Method for Simultaneous Estimation of Paracetamol and Etoricoxib from Bulk and Tablets Journal of Chemical and Pharmaceutical Research, 1(1): 329-335
24. Q. P. Yin Ophelia, Sherry S. L. Lam, Moses S. S. Chow, (2005), Simultaneous determination of paracetamol and dextropropoxyphene in human plasma by liquid chromatography/tandem

mass spectrometry: application to clinical bioequivalence studies Rapid Communications in Mass SpectrometryVolume 19, Issue 6, pages 767–774.

25. HY Ji, HW Lee, Kim YH, Jeong DW, Lee HS, (2005), Simultaneous determination of piroxicam, meloxicam and tenoxicam in human plasma by liquid chromatography with tandem mass spectrometry. J Chromatogr B Analyt Technol Biomed Life Sci.; 826(1-2):214-219.
26. Patil Kiran R. , Rane Vipul P. , Sangshetti J N. and Shinde D B., (2009), Stability-Indicating LC Method for Analysis of Lornoxicam in the Dosage Form , Chromatographia,Volume 69, Numbers 9-10.
27. Joseph-Charles J., Bertucat M, (1999), Simultaneous High Performance Liquid Chromatographic Analysis Of Non-Steroidal Anti-Inflammatory Oxicams In Pharmaceutical Preparations, Journal of Liquid Chromatography & Related Technologies , Volume 22, Issue 13,pages 2009-2021
28. Young Hoon Kim, Hye Young Ji, Eun -Seok Park, Soo -Wan Chae and Hye Suk Lee, (2007), Liquid chromatography-electrospray lonization tandem mass spectrometric determination of lornoxicam in human plasma, Archives of Pharmacal Research , Volume 30, 905-910
29. Patel D J., Pate Vivek P., (2010), Simultaneous Determination of Paracetamol andLornoxicam in Tablets by Thin LayerChromatography Combined with Densitometry, International Journal of ChemTech Research,Vol.2, No.4, pp 1929-1930
30. Tapan K Pal et al, (2011) Development and Validation of A High-Performance Liquid Chromatographic method with Ultraviolet Detection for Quantitation of lornoxicam in Human Plasma: Application to Bioequivalence Study, Journal of Pharmacy Research, Vol 4, No 9.
31. Puozzo C, Filaquier C, Zorza G, (2004), Determination of milnacipran, a serotonin and noradrenaline reuptake inhibitor, in human plasma using liquid chromato- graphy with spectrofluorimetric detection, Journal of Chromatography B, Volume 806, Issue 2, Pages 221–228
32. EbruU çaktürk and Cihat Şafak, (2010), Determination of Milnacipran in Human Plasma Using GC–MS, Chromatographia, Volume 72, Numbers 1-2, 111-119.
33. Heudi O et al, (2012), Fast simultaneous quantitative analysis of FTY720 and its metabolite FTY720-P in human blood by on-line solid phase extraction coupled with liquid chromatography–tandem mass spectrometry, Journal of Pharmaceutical and Biomedical Analysis, Volume 58 , Pages 102–112

34. Jeoung M K et al (2007), Determination of eperisone in human plasma by liquid chromatography-ESI-tandem mass spectrometry , Archives of Pharmacal Research, Volume 30, 1174-1178
35. Takeshi Saito, Takeshi Yamagiwa, Yuko Yui, Shota Miyazaki Akihiro Nakamoto, Akira Namera, Sadaki Inokuchi, (2010), Monolithic Spin-column Extraction and GC-MS Method for the Assay of Eperisone in Human Serum, journal of health science, 56(5), 598-605.
36. Poole CF. 2003,New trends in solid-phase extraction. Trend. Ana. Chem.; 22(6):362-373.
37. Yang L, Jensen DS, Vail MA, Dadson A, Linford M, (2010), Direct modification of hydrogen/deuterium-terminated diamond particles with polymers to form reserved and strong cation exchange solid phase extraction sorbents. J Chromato. A.; 1217:7621-7629.
38. Kole P L, (2011) Recent advances in sample preparation techniques for effective bioanalytical methods Biomedical Chromatography, Volume 25, Issue 1-2, pages 199–217,
39. Sharma D, Mittal R, Gupta A, Singh K, Nair A,(2010); Quantitative Bioanalysis by LC-MS/MS: A Review; JPBMS, 7 (01).
40. Rajpoot BS. (2011) Validation and process development: A review. Int. Res. J. Pharm.; 2(1):32-39
41. Health Canada, Guidance for industry-(2012), Conduct and analysis of Bioavailability and Bioequivalence studies – Part A: Oral dosage formulations used for systemic effects, authority of the minister of health
42. Matuszewski B.K, (2006), Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis, Journal of Chromatography B Volume 830, Issue 2, Pages 293–300.